INDEX TO VOLUME 6

Key to Abbreviations: *cs* = case study; *e* = editorial; *le* = letter to the editor; *orr* = Outcomes Research in Review; *p* = primer.

SUBJECTS

ACE inhibitors
ACE inhibitors and mortality in elderly patients with heart failure, 6(1):15–6*orr*
Are cardiac medications underused in older patients? 6(4):12–5*orr*

Acute exacerbation of chronic bronchitis
The role of infection and antibiotic selection in patients with acute exacerbation of chronic bronchitis, 6(10):67–76*cs*

Advance directives
Use of advance directives by community-dwelling older adults, 6(10):39–43

Allergic rhinitis
Allergic rhinitis: diagnostic and therapeutic challenges, 6(7):56–62*cs*

Alzheimer's disease
An aid for screening for dementia in primary care, 6(3):18–21*orr*
Alzheimer's disease and use of acute care services, 6(8):12–5*orr*
Alzheimer's disease in MCOs: utilization and costs, 6(9):18*orr*
Financial costs of caring for Alzheimer's disease, 6(1):22–5*orr*
Recognition and management of early Alzheimer's disease, 6(3):52–68*cs*

Anticoagulation
Heparin dosing, 6(8):27*le*
Outpatient treatment of deep-vein thrombosis with low-molecular-weight heparin, 6(1):12–5*orr*
A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

Antimicrobial therapy
Oral therapy for pneumonia: who, when, and with what? 6(3):48–51*e*
Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45

Articular cartilage defects
Management of a 37-year-old man with recurrent knee pain, 6(6):46–57*cs*

Aspirin
Benefits and risks of aspirin therapy, 6(2):21–2*orr*

Asthma
A home-based asthma education program in managed Medicaid, 6(10):30–4
Results of a telephone-based asthma management program, 6(4):22–30

β Blockers
Are cardiac medications underused in older patients? 6(4):12–5*orr*

Back pain
Economics versus patient satisfaction in recurrent back pain, 6(5):18–21*orr*
Nonmedical outcomes of chronic backache in the United States, 6(2):16–8*orr*

Benign prostatic hyperplasia
Phytotherapy for benign prostatic hyperplasia, 6(1):18–21*orr*

Bilevel positive airway pressure
Bilevel positive airway pressure ventilation, 6(9):41–8

Body fat distribution
The effect of physical activity on body fat, 6(7):15–6*orr*

Breast cancer
Breast symptoms in primary care practice, 6(6):12–5*orr*

Bronchitis, chronic
The role of infection and antibiotic selection in patients with acute exacerbation of chronic bronchitis, 6(10):67–76*cs*

Calcium channel blockers
Comparison of calcium channel blockers after myocardial infarction, 6(7):12–5*orr*

Cancer
Breast symptoms in primary care practice, 6(6):12–5*orr*
Clinical and economic benefits of cervical cancer screening in HIV-infected women, 6(4):17–8*orr*

Candidiasis
Diagnosis and treatment of infectious vaginitis, 6(4):45–54*cs*

Cardiac medications
Are cardiac medications underused in older patients? 6(4):12–5*orr*

Cardiorespiratory fitness
Cardiorespiratory fitness and type 2 diabetes, 6(4):16–7*orr*
No pain, no gain: not true, 6(4):11–2*orr*

Cervical cancer
Clinical and economic benefits of cervical cancer screening in HIV-infected women, 6(4):17–8*orr*
Costing techniques: a source of bias in cost-effectiveness analyses? 6(8):21–2*orr*

Chronic disease
A nurse-driven, carve-in approach for managing complex chronic conditions, 6(1):26–30
A self-management program for patients with chronic disease, 6(3):15–6*orr*

Clinical pathways
Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

Common cold
An evidence-based approach to management of the common cold, 6(1):39–43

Community-acquired pneumonia
Community-acquired pneumonia: current principles of evaluation and therapy, 6(8):60–70*cs*
Oral therapy for pneumonia: who, when, and with what? 6(3):48–51*e*
Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45

Complementary medicine
Complementary therapies for arthritis, 6(10):15–6*orr*

INDEX TO VOLUME 6

Compliance
Impact of a geriatric assessment and adherence intervention, 6(5):16–8*orr*
Medication adherence in the elderly, 6(4):15–6*orr*

Coronary artery disease
Economics of testing for coronary artery disease, 6(6):22–4*orr*

Cost-effectiveness
Costing techniques: a source of bias in cost-effectiveness analyses? 6(8):21–2*orr*
Economics of testing for coronary artery disease, 6(6):22–4*orr*

Decision support tools
How useful are patient decision support tools? 6(5):22–4*orr*

Deep venous thromboembolism
Diagnostic and therapeutic approach to acute venous thromboembolism, 6(8):47–57*cs*

Dementia
An aid for screening for dementia in primary care, 6(3):18–21*orr*
Recognition and management of early Alzheimer's disease, 6(3):52–68*cs*

Depression
Does depression cause physical disability? 6(10):12*orr*
Minor depression in the elderly, 6(2):41–50*cs*
A short test gets shorter: the GDS, 6(8):15–6*orr*

Dexfenfluramine
Diet drug dangers overestimated? 6(2):18–21*orr*

Diabetes mellitus
Birthweight and risk for type 2 diabetes, 6(5):15–6*orr*
Cardiorespiratory fitness and type 2 diabetes, 6(4):16–7*orr*
An evidence-based approach to foot ulcer prevention in patients with diabetes, 6(2):35–40
Intervention to improve glycemic control in diabetic patients, 6(2):11–2*orr*
Opportunities to improve the care of older patients with diabetes, 6(6):18–21*orr*
Oral combination therapy for type 2 diabetes, 6(8):18–21*orr*
Preventing ulcers in the diabetic foot, 6(4):44*le*

Diabetic nephropathy
How well do primary care physicians manage diabetic nephropathy? 6(6):16–8*orr*

Diet
The effect of olestra on gastrointestinal symptoms, 6(5):12–5*orr*
Diet and headache, 6(6):70–1*p*
A review of very low carbohydrate diets for weight loss, 6(7):36–40

Disease management
Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40
A nurse-driven, carve-in approach for managing complex chronic conditions, 6(1):26–30
Results of a telephone-based asthma management pilot program, 6(4):22–30
A self-management program for patients with chronic disease, 6(3):15–6*orr*

Dyspepsia
Approaching dyspepsia in the primary care setting, 6(10):53–63*cs*

Early discharge of newborns
What happens after early discharge of newborns? 6(10):22–4*orr*

End-of-life care
Use of advance directives by community-dwelling older adults, 6(10):39–43

Esophageal disorders
Evaluation of noncardiac chest pain: toward a positive diagnosis, 6(7):41–51*cs*
Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55–62*cs*

Exercise
The effect of physical activity on body fat, 6(7):15–6*orr*
No pain, no gain: not true, 6(4):11–2*orr*

Failure-to-thrive
Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60–73*cs*

Fenfluramine
Diet drug dangers overestimated? 6(2):18–21*orr*

Foot ulcer prevention
An evidence-based approach to foot ulcer prevention in patients with diabetes, 6(2):35–40
Preventing ulcers in the diabetic foot, 6(4):44*le*

Gastroesophageal reflux disease
Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55–62*cs*

Genetic testing
Diagnosis and management of hereditary hemochromatosis, 6(5):41–50*cs*
Population-based screening for hemochromatosis: not ready for prime time, 6(5):55–7*e*

Geriatric assessment
Impact of a geriatric assessment and adherence intervention, 6(5):16–8*orr*

Growth deficiency
Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60–73*cs*

Guidelines
An educational approach to improving guideline adherence, 6(9):15*orr*

Hay fever
Allergic rhinitis: diagnostic and therapeutic challenges, 6(7):56–62*cs*

Headache
Diet and headache, 6(6):70–1*p*
Evaluation and management issues in migraine, 6(6):58–74*cs*
Nonpharmacologic treatment of headache, 6(8):27–8*le*

Health care costs
Alzheimer's disease in MCOs: utilization and costs, 6(9):18*orr*
Economics of testing for coronary artery disease, 6(6):22–4*orr*

Financial costs of caring for Alzheimer's disease, 6(1):22–5*orr*
Mental health care utilization and costs, 6(7):21*orr*

Health status assessment
Future directions in health status assessment, 6(3):34–7
How should patient-reported change be measured? 6(10):16–8*orr*
Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33–40

Heart failure
ACE inhibitors and mortality in elderly patients with heart failure, 6(1):15–6*orr*
Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40

***Helicobacter pylori* infection**
Approaching dyspepsia in the primary care setting, 6(10):53–63*cs*

Hemochromatosis
Diagnosis and management of hereditary hemochromatosis, 6(5):41–50*cs*
Population-based screening for hemochromatosis: not ready for prime time, 6(5):55–7*e*

Heparin
Heparin dosing, 6(8):27*le*
Outpatient treatment of deep-vein thrombosis with low-molecular-weight heparin, 6(1):12–5*orr*
A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

Hepatitis A
Hepatitis A vaccination, 6(1):31–4

Hepatitis B
Hepatitis B: evaluation, management, and prevention, 6(9):51–60*cs*

Histamine$_2$ antagonists
Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55–62*cs*

HIV
Clinical and economic benefits of cervical cancer screening in HIV-infected women, 6(4):17–8*orr*

Home oxygen use
Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

Homocysteine
Homocysteine and vascular disease, 6(6):37–42

Hormone replacement therapy
Bone-related effects of low-dose HRT, 6(7):16–8*orr*
Factors associated with hormone replacement therapy use, 6(6):15–6*orr*
Patients' concerns about hormone replacement, 6(9):16*orr*

Hospital care
Do teaching hospitals provide better care than nonteaching hospitals? 6(1):21–2*orr*
Family members' perceptions of the hospital experience, 6(3):16–8*orr*

Hypercholesterolemia
Adherence with NCEP recommendations when prescribing simvastatin: a comparison between primary care and lipid clinic providers, 6(7):25–8

Hypertension
Assessment of the treatment of hypertension in a university HMO ambulatory clinic, 6(9):25–30
High blood pressure and bone mineral loss, 6(10):18–21*orr*
Treatment of hypertension in a primary care practice, 6(7):11–2*orr*

Hypoxemia
Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

Immunization
Effectiveness of an intranasal flu vaccine in healthy adults, 6(8):11–2*orr*
Influenza and pneumococcal vaccination rates in the elderly, 6(7):22*orr*
Policies that improve childhood vaccination rates, 6(3):12–5*orr*

Influenza
Effectiveness of an intranasal flu vaccine in healthy adults, 6(8):11–2*orr*
Respiratory illness outbreaks: is it influenza? 6(9):21*orr*

Insurance coverage
Effect of insurance coverage on prescribing patterns following heart attack, 6(5):21–2*orr*
Prostate cancer treatment: does insurance type matter? 6(8):16–8*orr*

Knee pain
Management of a 37-year-old man with recurrent knee pain, 6(6):46–57*cs*

Knee replacement
Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30–4

Length of stay policies
What happens after early discharge of newborns? 6(10):22–4*orr*

Lipid-lowering therapy
Adherence with NCEP recommendations when prescribing simvastatin: a comparison between primary care and lipid clinic providers, 6(7):25–8

Low back pain
New-onset low back pain in an elderly woman, 6(1):46–53*cs*

Low birthweight
Birthweight and risk for type 2 diabetes, 6(5):15–6*orr*

Low carbohydrate diet
A review of very low carbohydrate diets for weight loss, 6(7):36–40

Mechanical ventilation
Bilevel positive airway pressure ventilation, 6(9):41–8

Mental health care
Mental health care utilization and costs, 6(7):21*orr*

Metformin
Oral combination therapy for type 2 diabetes, 6(8):18–21*orr*

Migraine
Evaluation and management issues in migraine, 6(6):58–74*cs*
Nonpharmacologic treatment of headache, 6(8):27–8*le*

Mind–body relationship
Another view of the mind–body relationship, 6(6):21–2*orr*

INDEX TO VOLUME 6

Myocardial infarction
Comparison of calcium channel blockers after myocardial infarction, 6(7):12–5*orr*
Effect of insurance coverage on prescribing patterns following heart attack, 6(5):21–2*orr*
Laboratory assessment of patients with suspected acute myocardial infarction, 6(1):56*le*

Native American health
Aging and bone loss in Native American women, 6(3):22–5*orr*

Noncardiac chest pain
Evaluation of noncardiac chest pain: toward a positive diagnosis, 6(7):41–51*cs*

Nonulcer dyspepsia
Approaching dyspepsia in the primary care setting, 6(10):53–63*cs*

Nortriptyline
A useful adjunct for promoting smoking cessation, 6(1):16–8*orr*

NSAIDs
Rheumatoid arthritis: diagnosis and new therapeutic options, 6(9):64–75*cs*

Nursing home care
Managed care practices: watch out for skilled nursing facility care, 6(7):32–4
Primary care of HMO patients in nursing homes, 6(4):18–21*orr*

Olestra
The effect of olestra on gastrointestinal symptoms, 6(5):12–5*orr*

Onychomycosis
Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42

ORIGINAL RESEARCH
Adherence with NCEP recommendations when prescribing simvastatin: a comparison between primary care and lipid clinic providers, 6(7):25–8
Assessment of the treatment of hypertension in a university HMO ambulatory clinic, 6(9):25–30
Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42
A home-based asthma education program in managed Medicaid, 6(10):30–4
Pediatric day surgery outcomes management: the role of preoperative anxiety and a home pain management protocol, 6(2):24–30
Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45
Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30–4
Use of advance directives by community-dwelling older adults, 6(10):39–43

Osteoporosis
Aging and bone loss in Native American women, 6(3):22–5*orr*
Bone-related effects of low-dose HRT, 6(7):16–8*orr*
Dietary intake of vitamin A and osteoporosis, 6(2):15–6*orr*
High blood pressure and bone mineral loss, 6(10):18–21*orr*

Pain management
Pediatric day surgery outcomes management: the role of preoperative anxiety and a home pain management protocol, 6(2):24–30

Patient information
How useful are patient decision support tools? 6(5):22–4*orr*

Patient satisfaction
Economics versus patient satisfaction in recurrent back pain, 6(5):18–21*orr*
How should patient-reported change be measured? 6(10):16–8*orr*

Pediatric medicine
Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60–73*cs*
Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33–40
Policies that improve childhood vaccination rates, 6(3):12–5*orr*

Pediatric surgery
Pediatric day surgery outcomes management: the role of preoperative anxiety and a home pain management protocol, 6(2):24–30

Physician/patient communication
Communication: a risk management tool, 6(1):35–8

Pneumonia
Community-acquired pneumonia: current principles of evaluation and therapy, 6(8):60–70*cs*

POETRY
The unanticipated response, 6(8):57

Prescribing patterns
Effect of insurance coverage on prescribing patterns following heart attack, 6(5):21–2*orr*
Generalists and specialists: a comparative study, 6(10):21–2*orr*

Prostate cancer
Prostate cancer treatment: does insurance type matter? 6(8):16–8*orr*

Provider differences
Generalists and specialists: a comparative study, 6(10):21–2*orr*

Psychiatric disorders
Diagnosis of psychiatric disorders in older versus younger patients, 6(3):21–2*orr*
Minor depression in the elderly, 6(2):41–50*cs*

Pulmonary embolism
Diagnostic and therapeutic approach to acute venous thromboembolism, 6(8):47–57*cs*

Quality improvement
Clinical practice improvement: a data-driven methodology for improving patient care, 6(3):26–32
Improving clinical efficiency in a hospital blood bank, 6(2):31–4
Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40
A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

Quality of life measurement
Future directions in health status assessment, 6(3):34–7
Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42
Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33–40

Respiratory viruses
Respiratory illness outbreaks: is it influenza? 6(9):21*orr*

Rheumatoid arthritis
Complementary therapies for arthritis, 6(10):15–6*orr*
Medication adherence in the elderly, 6(4):15–6*orr*
Rheumatoid arthritis: diagnosis and new therapeutic options, 6(9):64–75*cs*

Rhinitis
Allergic rhinitis: diagnostic and therapeutic challenges, 6(7):56–62*cs*

Risk management
Communication: a risk management tool, 6(1):35–8

Screening
Clinical and economic benefits of cervical cancer screening in HIV-infected women, 6(4):17–8*orr*
Population-based screening for hemochromatosis: not ready for prime time, 6(5):55–7*e*
A short test gets shorter: the GDS, 6(8):15–6*orr*

Sexually transmitted diseases
Diagnosis and treatment of infectious vaginitis, 6(4):45–54*cs*

Smoking cessation
A useful adjunct for promoting smoking cessation, 6(1):16–8*orr*

Stroke management
Benefits and risks of aspirin therapy, 6(2):21–2*orr*

Thrombocytopenia
Which drugs cause thrombocytopenia? 6(2):12–5*orr*

Thromboembolism
Diagnostic and therapeutic approach to acute venous thromboembolism, 6(8):47–57*cs*
Outpatient treatment of deep-vein thrombosis with low-molecular-weight heparin, 6(1):12–5*orr*

Troponin T
Laboratory assessment of patients with suspected acute myocardial infarction, 6(1):56*le*

Utilization
Alzheimer's disease and use of acute care services, 6(8):12–5*orr*
Alzheimer's disease in MCOs: utilization and costs, 6(9):18*orr*

Vaccines
Effectiveness of an intranasal flu vaccine in healthy adults, 6(8):11–2*orr*
Hepatitis A vaccination, 6(1):31–4
Influenza and pneumococcal vaccination rates in the elderly, 6(7):22*orr*

Vaginitis
Diagnosis and treatment of infectious vaginitis, 6(4):45–54*cs*

Valvular heart disease
Diet drug dangers overestimated? 6(2):18–21*orr*

Vancomycin-resistant enterococci
Reducing transmission of VRE in an endemic setting, 6(9):12*orr*

Vascular disease
Homocysteine and vascular disease, 6(6):37–42

Vitamin A
Dietary intake of vitamin A and osteoporosis, 6(2):15–6*orr*

Warfarin
Are cardiac medications underused in older patients? 6(4):12–5*orr*

AUTHORS

Allen GL
Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40

Amaya MA
A home-based asthma education program in managed Medicaid, 6(10):30–4

Areán P
Minor depression in the elderly, 6(2):41–50*cs*

Arriola G
Adherence with NCEP recommendations when prescribing simvastatin: a comparison between primary care and lipid clinic providers, 6(7):25–8

Atkins D
Population-based screening for hemochromatosis: not ready for prime time, 6(5):55–7*e*

Babayev M
New-onset low back pain in an elderly woman, 6(1):46–53*cs*

Babra K
Results of a telephone-based asthma management pilot program, 6(4):22–30

Bennett BD
Laboratory assessment of patients with suspected acute myocardial infarction, 6(1):56*le*

Bittner MJ
Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45

Black MM
Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60–73*cs*

Blitz SG
Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55–62*cs*

INDEX TO VOLUME 6

Brodsky J
The unanticipated response, 6(8):57

Brouse SD
Assessment of the treatment of hypertension in a university HMO ambulatory clinic, 6(9):25–30

Browngoehl K
A home-based asthma education program in managed Medicaid, 6(10):30–4

Callahan CM
Minor depression in the elderly, 6(2):41–50*cs*

Coburn KD
A home-based asthma education program in managed Medicaid, 6(10):30–4

Cole BJ
Management of a 37-year-old man with recurrent knee pain, 6(6):46–57*cs*

Conaway DC
Rheumatoid arthritis: diagnosis and new therapeutic options, 6(9):64–75*cs*

Cureton PL
Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60–73*cs*

Daughtry W
A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

DiPalo MT
Results of a telephone-based asthma management pilot program, 6(4):22–30

Dukes KR
Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40

Dwyer EV
Minor depression in the elderly, 6(2):41–50*cs*

Edelman D
An evidence-based approach to foot ulcer prevention in patients with diabetes, 6(2):35–40
Preventing ulcers in the diabetic foot, 6(4):44*le*

Eleftheriou PD
Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45

Feagles LL
Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40

Feigelman S
Evaluation and treatment of children with failure-to-thrive: an interdisciplinary perspective, 6(5):60–73*cs*

Fendrick AM
Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55–62*cs*

Ferro TJ
Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

Fogt F
Improving clinical efficiency in a hospital blood bank, 6(2):31–4

Foley M
Managed care practices: watch out for skilled nursing facility care, 6(7):32–4

Fontana RJ
Hepatitis B: evaluation, management, and prevention, 6(9):51–60*cs*

Frederick RW
Management of a 37-year-old man with recurrent knee pain, 6(6):46–57*cs*

Freund DA
Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30–4

Friedrich CA
Homocysteine and vascular disease, 6(6):37–42

Gao S
Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30–4

Gause D
Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42

Gelhot AR
Assessment of the treatment of hypertension in a university HMO ambulatory clinic, 6(9):25–30

Gemmel D
Use of advance directives by community-dwelling older adults, 6(10):39–43

Groff JY
Use of advance directives by community-dwelling older adults, 6(10):39–43

Hassett RM
A nurse-driven, carve-in approach for managing complex chronic conditions, 6(1):26–30

Heck DA
Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30–4

Horn SD
Clinical practice improvement: a data-driven methodology for improving patient care, 6(3):26–32

Howe RS
Results of a telephone-based asthma management pilot program, 6(4):22–30

Jann MW
Recognition and management of early Alzheimer's disease, 6(3):52–68*cs*

Jones MP
Evaluation of noncardiac chest pain: toward a positive diagnosis, 6(7):41–51*cs*

Kabasakalian LM
A nurse-driven, carve-in approach for managing complex chronic conditions, 6(1):26–30

Katz BP
Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30–4

Keller VF
Communication: a risk management tool, 6(1):35–8

Kowdley KV
Diagnosis and management of hereditary hemochromatosis, 6(5):41–50*cs*

Kurtin PS
Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33–40

Kvale JN
Use of advance directives by community-dwelling older adults, 6(10):39–43

Lachmann E
New-onset low back pain in an elderly woman, 6(1):46–53*cs*

Legerton CW III
Rheumatoid arthritis: diagnosis and new therapeutic options, 6(9):64–75*cs*

Leong D
Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40

Levy AS
Management of a 37-year-old man with recurrent knee pain, 6(6):46–57*cs*

Loder E
Evaluation and management issues in migraine, 6(6):58–74*cs*
Nonpharmacologic treatment of headache, 6(8):27–8*le*

Logan R
Improving clinical efficiency in a hospital blood bank, 6(2):31–4

Lubeck DP
Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42

Mace SE
Bilevel positive airway pressure ventilation, 6(9):41–8

Mandell WJ
Nonpharmacologic treatment of headache, 6(8):27–8*le*

Marcus DA
Diet and headache, 6(6):70–1*p*

Melloh JR
Use of advance directives by community-dwelling older adults, 6(10):39–43

Metz DC
Approaching dyspepsia in the primary care setting, 6(10):53–63*cs*

Miller RM
Preventing ulcers in the diabetic foot, 6(4):44*le*

Milles G
Recognition and management of early Alzheimer's disease, 6(3):52–68*cs*

Montanaro A
Allergic rhinitis: diagnostic and therapeutic challenges, 6(7):56–62*cs*

Morrison ED
Diagnosis and management of hereditary hemochromatosis, 6(5):41–50*cs*

Moseley RH
Hepatitis A vaccination, 6(1):31–4

Mossad SB
An evidence-based approach to management of the common cold, 6(1):39–43

Nagler W
New-onset low back pain in an elderly woman, 6(1):46–53*cs*

Niederman MS
The role of infection and antibiotic selection in patients with acute exacerbation of chronic bronchitis, 6(10):67–76*cs*

O'Connell D
Communication: a risk management tool, 6(1):35–8

O'Connell JM
Results of a telephone-based asthma management pilot program, 6(4):22–30

O'Malley TA
Managed care practices: watch out for skilled nursing facility care, 6(7):32–4

Oddone EZ
Laboratory assessment of patients with suspected acute myocardial infarction, 6(1):56*le*

Oprandi A
Use of advance directives by community-dwelling older adults, 6(10):39–43

Pashos CL
(see Outcomes Research in Review [orr] entries in Subject Index)

Phelps DT
Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

Pinder T
A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

Potter LP
Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42

Prebil LA
Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42

Rader DJ
Homocysteine and vascular disease, 6(6):37–42

Reilly JP
Management strategies for patients with symptomatic gastroesophageal reflux disease in an era of OTC remedies, 6(4):55–62*cs*

Rein MF
Diagnosis and treatment of infectious vaginitis, 6(4):45–54*cs*

Ribner BS
Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45

Rindone JP
Adherence with NCEP recommendations when prescribing simvastatin: a comparison between primary care and lipid clinic providers, 6(7):25–8

Saraceno JL
Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

INDEX TO VOLUME 6

Sayles SM
Results of a telephone-based asthma management pilot program, 6(4):22–30

Schein JR
Health-related quality of life in patients with toenail onychomycosis: data from a 9-month observational study, 6(8):37–42

Schmitt SK
Community-acquired pneumonia: current principles of evaluation and therapy, 6(8):60–70*cs*
Oral therapy for pneumonia: who, when, and with what? 6(3):48–51*e*

Schwartz DB
Use of a clinical pathway for hypoxemia improves efficiency of supplemental home oxygen prescribing, 6(6):27–33

Scotiniotis I
Approaching dyspepsia in the primary care setting, 6(10):53–63*cs*

Seid M
Pediatric day surgery outcomes management: the role of preoperative anxiety and a home pain management protocol, 6(2):24–30
Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33–40

Shah Z
Heparin dosing, 6(8):27*le*
A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

Steele CD
Recognition and management of early Alzheimer's disease, 6(3):52–68*cs*

Steinberg M
Recognition and management of early Alzheimer's disease, 6(3):52–68*cs*

Tapson VF
Diagnostic and therapeutic approach to acute venous thromboembolism, 6(8):47–57*cs*

Tietjen GE
Evaluation and management issues in migraine, 6(6):58–74*cs*

Tilles SA
Allergic rhinitis: diagnostic and therapeutic challenges, 6(7):56–62*cs*

Toney JF
Randomized, double-blind comparison of oral cefpodoxime and parenteral ceftriaxone in hospitalized adults with community-acquired pneumonia, 6(3):38–45

Tunkel RS
New-onset low back pain in an elderly woman, 6(1):46–53*cs*

Vailoces TO
A weight-based heparin protocol for improved anticoagulation in a coronary care unit, 6(5):27–33

Varni JW
Pediatric day surgery outcomes management: the role of preoperative anxiety and a home pain management protocol, 6(2):24–30
Pediatric health-related quality of life measurement technology: a guide for health care decision makers, 6(4):33–40

Venketesan T
Evaluation of noncardiac chest pain: toward a positive diagnosis, 6(7):41–51*cs*

Vojta CL
A home-based asthma education program in managed Medicaid, 6(10):30–4

Vojta DD
A home-based asthma education program in managed Medicaid, 6(10):30–4

Ware JE Jr
Future directions in health status assessment, 6(3):34–7

Westman EC
A review of very low carbohydrate diets for weight loss, 6(7):36–40

Wilkes RM
Kaiser Permanente's approach to congestive heart failure in South San Francisco, 6(5):37–40

Wood KA
Diagnostic and therapeutic approach to acute venous thromboembolism, 6(8):47–57*cs*

Wulsin LR
Evaluation of noncardiac chest pain: toward a positive diagnosis, 6(7):41–51*cs*

Yaffe K
Minor depression in the elderly, 6(2):41–50*cs*

Yeager BF
Assessment of the treatment of hypertension in a university HMO ambulatory clinic, 6(9):25–30

Yee WP
Heparin dosing, 6(8):27*le*

Zaslav KR
Management of a 37-year-old man with recurrent knee pain, 6(6):46–57*cs*

Zhou XH
Revision rates following staged and simultaneous bilateral knee replacement, 6(8):30–4

Zimmerman RL
Improving clinical efficiency in a hospital blood bank, 6(2):31–4